



**Cutting plotter** 



**Instrument products** 



Label printer



**Others** 



### **Graphtec Supplies & Accessories**

Cutting plotter	1. Cutting blade	10. Pouncing tool
3.	2. Cutting blade holder	11. Creasing / Scoring tool
	3. Pen adapter	12. Loupe
	4. Blade type and typical application	13. Water-based fiber-tip pen

5. Blade and the corresponding holder List
6. Cutting mat
15. Oil-based ballpoint pen
16. Oil based ballpoint pen
16. Oil based ballpoint pen
17. Parts to bath

7. Protect sheet
16. Oil-based ballpoint pen holder
8. Adsorption mat
9. Cross cutter blade

 Instrument products
 1. Cable
 4. Recording paper (Roll paper)

 2. Thermocouple
 5. Recording Paper (Z-fold paper)

2. Thermocouple 5. Recording Paper (Z-fold paper)
3. Shunt resistor 6. Recording pen

 label Printer
 1. Ink ribbon
 5. Thermal head cleaner

 LABEL ROBO LCX603series
 2. Cutter blade
 6. Label media

3. Cutter blade holder 7. Lamination film
4. Loupe

Others 1. Scanners

\*:Model numbers are switched to the new ones as soon as the stocks with the old model numbers run out.

 $\ensuremath{\ast}$  :Availability of items could vary depending on the regions.

### **Cutting plotter**

**Supported product** CE6000Plus / CE6000 / CE7000 / FC8600 / FC9000 / CE LITE-50 / FC4500 / FC2250 / FCX2000 / FCX4000

Published item

- 1. Cutting blade 2. Cutting blade holder 3. Pen adapter 4. Blade type and typical application 5. Blade and the corresponding holder List
- 6. Cutting mat 7. Protect sheet 8. Adsorption mat 9. Cross cutter blade 10. Pouncing tool 11. Creasing / Scoring tool 12. Loupe
- 13. Water-based fiber-tip pen 14. Water-based fiber-tip pen holder 15. Oil-based ballpoint pen 16. Oil-based ballpoint pen holder

1. Cuttin	g blade				Grit	rolling		orted p	roduct		ed type	
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CB09UB-5	0.9 mm diameter. Angle 45°, Supersteel For self-adhesive marking film (vinyl, fluorescent, refractive), thin sheet, up to 0.25 mm thick.	5 blades/pack		•	•	•	•	•	•	•	•
	CB09UB-K60-5	0.9 mm diameter. Angle 60°, Supersteel For thinner film (Tint film), 0.03 mm to 0.25 mm thick.	5 blades/pack		•	•	•	•				
	<b>CB15U-5</b>	1.5 mm diameter. Angle 45°, Supersteel For rigid or thick film or sheet, heavy paper (pattern paper, oil board), 0.25 mm to 0.5 mm thick.	5 blades/pack		•	•	•	•	•	•	•	•
	CB15UA-5	1.5 mm diameter. Angle 45°, Supersteel For high-intensity reflective film or harder film, up to 0.5 mm thick.	5 blades/pack				•	•	•	•	•	•
	CB15UA-K30-5	1.5 mm diameter. Angle 30°, Supersteel For rigid or thick sheet, 0.25 mm to 0.5 mm thick. And also small detailed characters on marking film (up to 0.25 mm thick).	5 blades/pack				•	•	•	•	•	•
_	CB15U-K30-5	1.5 mm diameter. Angle 30°, Supersteel For rigid or thick sheet, 0.25 mm to 0.5 mm thick. And also small detailed characters on marking film (up to 0.25 mm thick).	5 blades/pack				•	•	•	•	•	•
	CB30UC-1	3.0 mm diameter. Angle 45°, Supersteel For rigid or thicker sheet (cardboard E flute), up to 1.5 mm thick.	1 blade/pack								•	•
	PM-CB-001	3.0 mm diameter. Angle 30°, Supersteel For rigid or thicker sheet (soft plastic, rubber), 1.0 mm to 2.0 mm thick.	2 blades/pack									•
	PM-BS-001	For normal media (film, paper, others)	1 set/pack	•								
	PM-BS-002	For thick media (soft rubber, polyurethane sheet, up to 1 mm)	1 set/pack	•								

2. Cutting b	olade holder						Suppo	orted p	roduct			
					SO							
ltem	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PHP33-CB09N-HS	For CB09U series blade with plastic tip	1 set / pack		•	•	•	•	•	•	•	•
	PHP33-CB15N-HS	For CB15U series blade with plastic tip	1 set / pack		•	•	•	•	•	•	•	•
	PM-CH-001	For CB30UC / PM-CB-001 cutting blade	1 set / pack								•	•
-	PHP35-CB09-HS	For CB09U series blade	1 set / pack				•	•	•	•	•	•
-	PHP35-CB15-HS	For CB15U series blade	1 set / pack				•	•	•	•	•	•

3. Pen adap	ter						Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	ed type	
ltem	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
000	PM-BH-001	For commercially available fiber-tip or ballpoint pen	1 pc/pack	•								

	nd typical application		a variety of applications		Com	oatible m	lodels	
-	n-quality blade for each mai dard accessory(the quantity	terial so that it can be used in attached is different)	a variety of applications.	Gr	it rolling t	ype	Flatbe	ed type
em	Model No.	Specification	Suitable media type	CE7000 CE6000Plus	FC9000 FC8600	CE LITE-50	FCX2000	FCX4000
	CB09UB-5	[Spring] No [Material] Super Steel [Diameter]	Self-adhesive marking film (vinyl, fluorescent, reflective), Paper, Heat transfer media [Thickness] up to 0.25mm	©	©		•	•
	<b>⇒</b> CB09UB-K60-5	[Spring] No [Material] Super Steel [Diameter]	Special blade for cutting the window tint film or thin film [Thickness] up to 0.25mm	•	•			
_	CB15U-5	[Spring] No [Material] Super Steel [Diameter] φ1.5mm [Angle] 45°	Heavy paper/board [Thickness] up to 0.5mm  Heavy paper/board (pattern paper, oil board) [Thickness] up to 0.5mm	•	•		0	0
	<b>►</b> CB15U-K30-5	[Spring] No [Material] Super Steel [Diameter] ø1.5mm	Heavy paper/board Corrugated board (F,G flute) Foam sheet, Magnet sheet, Rubber sheet for Sandblast [Thickness] up to 1.1mm				©	•
		[Angle] 30°	For cutting small detailed characters(less than 10mm) Self-adhesive marking film (vinyl, fluorescent, reflective) [Thickness] up to 0.25mm	•	•			
	CB15UA-5	[Spring] No [Material] Super Steel [Diameter] φ1.5mm [Angle] 45°	High intensity reflective film [Thickness] up to 0.5mm		•		•	•
	► CB15UA-K30-5	[Spring] No [Material] Super Steel [Diameter] φ1.5mm [Angle] 30°	High intensity reflective film [Thickness] up to 1.0mm		•		•	•
/ <del>         </del>	CB30UC-1	[Spring] Yes [Material] Super Steel [Diameter]	Corrugated board (E,F,G flute) [Thickness] up to 1.5mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				•	
	<b>▶</b> PM-CB-001	[Spring] Yes [Material] Super Steel [Diameter] φ3.0mm [Angle] 30°	General purpose rubber sheet (Durometer:60 to 65) [Thickness] $1.0 \sim 2.0 \text{mm}$ * Cutting accuracy is not guaranteed. Be sure to try it before using it.				•	
	PM-BS-001	Cutter Set (Standerd Blade)	Normal media (film, paper, others) [Thickness] up to 0.25mm			0		
	PM-BS-002	Cutter Set (Long Blade)	Thick media (soft rubber, polyurethane sheet) [Thickness] up to 1.0mm			•		

5. Blade a	and the corresponding	holder List			corresponding holde	r	
• : Available			PHP33- CB09N-HS Spring built-in type	PHP35- CB09-HS Spring built-in type	PHP33- CB15N-HS Spring built-in type	PHP35- CB15-HS Spring built-in type	PM-CH-001
Blade							-
Diameter	Item	Model No.					
φ0.9mm		CB09UB-5	•	•			
(*1)		CB09UB-K60-5	•	•			
		CB15U-5			•	•	
φ1.5mm		CB15U-K30-5			•	•	
(*1)		CB15UA-5			•	•	
		CB15UA-K30-5			•	•	
φ3.0mm	A	CB30UC-1					•
(*2)		PM-CB-001					•

<sup>(\*1)</sup> It is required to remove the spring.

 $<sup>\</sup>begin{tabular}{ll} (*2) & Cutting accuracy is not guaranteed. Be sure to try it before using it. \\ \end{tabular}$ 

#### 6. Cutting mat Supported product Grit rolling type CE6000 CE6000PLUS FCX2000 CE LITE-50 FC2250 Item Model No. Discription Package Cutting mat for CE LITE-50 PM-CR-001 1 pc/pack CE6-CM40-2 For CE6000-40 /PLUS 2 mats/pack CE6-CM60-2 For CE6000-60 /PLUS 2 mats/pack For CE6000-120 /PLUS CE6-CM120-2 2 mats/pack • PM-CR-005 For FC9000-75 2 mats/pack • PM-CR-006 For FC9000-100 2 mats/pack • For FC9000-140 PM-CR-007 2 mats/pack • PM-CR-008 2 mats/pack For FC9000-160 PM-CR-009 For CE7000-40 2 mats/pack • PM-CR-010 For CE7000-60 2 mats/pack • PM-CR-011 For CE7000-130/130AP 2 mats/pack PM-CR-012 For CE7000-160 2 mats/pack •

7. Prote	ect sheet			Supported product  Grit rolling type Flatbed type  CE CE CE 6000 00 00 00 00 00 00 00 00 00 00 00 0								
					Grit rolling type Flatbed type							
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CR-002A	To protect the writing panel from scratches (for FCX4000-50ES)	1 pc/pack							•		
	PM-CR-003A	To protect the writing panel from scratches (for FCX4000-60ES)	1 pc/pack							•		
	PM-CR-004A	To protect the writing panel from scratches (for FCX2000-120ES) Transparent vinyl, thickness 0.3 mm Size: 1,328 mm x 968 mm	1 pc/pack									•

8. Adsorpt	tion mat						Supp	orted p	roduct			
					Grit	rolling	type			Flatbo	ed type	
ltem	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CM-0002	Adhesive mat Size 610 mm x 435 mm, 1 mm thick, for creasing	2 sheets/pack						•	•		
A second	CM-0003-R1A	Double-side coated roll, size 545 mm x 20 m	1 sheet/pack						•	•		•
	CM-0004	Low tack cling mat, size 610 mm x 645 mm	2 sheets/pack						•	•		•
B	CM-0005	Micro suction cling mat, size 610 mm x 645 mm	2 sheets/pack						•	•		•
	PM-CM-001	Cling mat for film based type material, size 660 mm x 488 mm	2 pcs/pack							•		•
	PM-CM-002	Cling mat for paper based type material, size 660 mm x 488 mm	2 pcs/pack							•		•
W.	PM-CM-003	For media without backing paper Supported media size: 330mm x 483mm	1 pc/pack	•								
_	CR09300-A3	Carrier sheet A3 size (297 mm x 420 mm)  * Please consider to use with optional carrier sheet table "OPH-A45" for CE7000-40/60.	2 sheets/pack		•	•						

9. Cross c	utter blade			Supported product  Grit rolling type Flatbed type  CG CE CET CO C								
-					Grit	rolling	type			Flatbe	ed type	
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
4	СТО1Н	Standard type	1 blade/pack				•					
4	CT02U	High durability type	1 blade/pack				•					
GRAPHITEC	PM-CC-001	To cut across the media manually	1 pc/pack	•								
1	PM-CC-002	Supersteel type	1 blade/pack					•				

10. Pouncii	ng tool						Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	ed type	
ltem	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PPA33-TP12	Steel pin 1.2 mm diameter	1 set / pack				•	•				

11. Creasing	g / Scoring	tool					Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	ed type	
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CP-001	Stick type, for heavy paper	1set/pack						•	•	•	•
0	CP-002	Roller type (R0.2 mm), for heavy paper	1set/pack								•	•
9 9	CP-003	Roller type (R0.6 mm), for cardboard	1set/pack								•	•
	PM-CT-002	Ball on tip of stick, to curve line on heavy paper	1set/pack							•	•	•

12. Loupe							Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CT-001	To check the blade length (for PHP33 / PHP35 series)	1set/pack		•	•	•	•	•	•	•	•

13. Water-b	ased fiber-tip	pen					Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
American I	KF700-BK	Black	10 pens/pack		•	•	•	•		•	•	•
Manney w	KF700-RD	Red	10 pens/pack		•	•	•	•		•	•	•

: Available

14. Water-b	oased fiber-t	ip pen holder					Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	ed type	
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
<b>4</b> 1 <b>4</b> • •	PHP31-FIBER	Pen holder for KF700 series pen	1 set / pack		•	•	•	•		•	•	•

• : Available

15. Oil-base	d ballpoint pe	en					Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	КВ700-ВК	Black	10 pens/pack		•	•	•	•	•	•	•	•

• : Available

16. Oil-base	d ballpoint	pen holder					Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	ed type	
Item	Model No.	Discription	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PHP34-BALL	Pen holder for KB700-BK	1set/pack		•	•	•	•	•	•	•	•

#### **Instrument products**

**Supported product** GL7000 Plus / GL900 series / GL980 / GL2000 / GL240 series / GL840 / GL100 series / MT100 / WR3320A series / DP-581H

Published item 1. Cable 2. Thermocouple 3. Shunt resistor 4. Recording paper (Roll paper) 5. Recording Paper (Z-fold paper) 6. Recording pen

1. Cable									Sup	porte	d pro	duct					
ltem	Model No.	Discription	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
Ó'	RIC-142	Input cable, 1.5m length, 1000 VDC Voltage,CAT II (600V • CAT III)	1pc/pack	•*	•	•	•										
0	RIC-143	Input cable, 1.6m length, 600 VDC Voltage,CAT II (300V • CATIII),Banana-BNC	1pc/pack	•*	•	•	•										
<b>_</b>	RIC-145	Clip,20mm Aperture,1000 VDC Voltage, CAT II , 32A Power consumption,Cable(Optional)	One Set(Red/Black)			or 43/147											
	RIC-146	Clip,5mm Aperture,1000 VDC Voltage, CATII, 1A Power consumption,Cable(Optional)	One Set(Red/Black)			or 43/147											
60	RIC-147	Input cable, 1.6m length, 1000 VDC Voltage,CAT II	One Set	•*	•	•	•										
	SMA-102	Input terminal adapter	1pc/pack	•*	•	•	•										

<sup>\*</sup> This option is not available for use depends on the type of amplifier, terminal block, or terminal block cover.

2. Thermoco	uple								Sup	porte	d pro	duct					
ltem	Model No.	Discription	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
0	RIC-410	Termocouple, 1.1m length, -100∼300 °C Temperature range,Class 1	1pc/pack	•	•	•	•	•	•	•	•	•					
3	RIC-420	Termocouple,1.1m length, -30~400 °C Temperature range,Class 2	1pc/pack	•*	•	•	•	•	•	•	•	•					
0	RIC-430	Termocouple, 1.1m length, -30∼600 °C Temperature range, Class 2	1pc/pack	•*	•	•	•	•	•	•	•	•					

<sup>\*</sup> This option is not available for use depends on the type of amplifier, terminal block, or terminal block cover.

3. Shunt resis	tor								Sup	porte	d pro	duct					
ltem	Model No.	Discription	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
	B-551	Shunt resistor,250 ohms 0.1% (it converts the signal to the "1-5V" from the "4-20mA"),1W Power consumption, 15.8V Max. voltage	1pc/pack	•*	•	•	•	•	•	•	•	•	•	•	•	•	

<sup>\*</sup>This option is not available for use depends on the type of amplifier, terminal block, or terminal block cover.

4. Recording	paper (Rol	l paper)							Sup	porte	d pro	duct					
ltem	Model No.	Discription	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
	PR410-2B-R5A	Thermal paper, Black, 40 mm x 2 ch, 100 m length	5rolls/pack										•				
	PR412-4B-R5A	Thermal paper, Black, 40 mm x 4 ch, 100 m length	5rolls/pack											•			
	PR420-1B-R5A	Thermal paper, Black, 80 mm x 2 ch, 100 m length	5rolls/pack												•		
	PR-210X30	Thermal paper, Black,200 mm x 1 ch 30 m length	6rolls/pack														•

: Available

5. Recording	Paper (Z-f	old paper)							Sup	porte	d pro	duct					
Item	Model No.	Discription	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL 100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
	PZ410-2B-R5A	Thermal paper, Black, 40 mm x 2 ch 100 m length	5pcs/pack										•				
	PZ412-4B-R5A	Thermal paper, Black, 40 mm x 4 ch 100 m length	5pcs/pack											•			
	PZ420-1B-R5A	Thermal paper, Black, 80 mm x 1 ch 100 m length	5pcs/pack												•		
	PZ422-2B-R5A	Thermal paper, Black, 80 mm x 2 ch 100 m length	5pcs/pack													•	

6. Recording	pen								Sup	porte	d pro	duct					
ltem	Model No.	Discription	Package	GL7000 Plus	GL900 series	GL980	GL2000	GL240 series	GL840 series	GLT400	GL100 series	MT100	WR3320A-2H	WR3320A-4H	WR3320A-1DH	WR3320A-2DH	DP-581H
	KT203	Event marker pen	1pen/pack										•	•	•	•	
	КТ209	Time marker pen	1pen/pack										•	•	•	•	

### **Digital label printer LCX603 series**

**Supported product** LCX603 series ( LCX603 / LCX603-01 / LCX603-02 )

1. Ink ribbon 2. Cutter blade 3. Cutter blade holder 4. Loupe 5. Thermal head cleaner 6. Label media

7. Lamination film

1. Ink ribbon					Sı	upported produ	ct
Item	Model No.		Discription	Package	LCX603-01	LCX603-02	LCX603
Resin							
4	RP120-B-R4A		RESIN, Black, 120 mm x 100 m	4 rolls/box	•	•	•
4	RP120-R-R4A		RESIN, Red, 120 mm x 100 m	4 rolls/box		•	•
4	RP120-BL-R4B		RESIN, Blue, 120 mm x 100 m	4 rolls/box		•	•
4	RP120-Y-R4A		RESIN, Yellow, 120 mm x 100 m	4 rolls/box		•	•
	RP120-W-R4A		RESIN, White, 120 mm x 100 m	4 rolls/box		•	•
Semi-resin							
4	WD120-B-R4A		Semi-RESIN, Black 120 mm x 100 m	4 rolls/box	•	•	•
4	WD120-R-R4A (Limited stock) PM-IS-028 (Successor)		Semi-RESIN, Red 120 mm x 100 m	4 rolls/box		•	•
5	WD120-BL-R4A		Semi-RESIN, Blue 120 mm x 100 m	4 rolls/box		•	•
5	PM-IS-024	(*1) (*2)	Semi-RESIN, Green 120 mm x 100 m	4 rolls/box		•	•
5	PM-IS-027	(*1) (*2)	Semi-RESIN, Orange 120 mm x 100 m	4 rolls/box		•	•

<sup>(\*1)</sup> Ink ribbon is not suitable for fill printing. Please use this ribbon for printing that involves characters and lines.

<sup>• :</sup> Available

<sup>(\*2)</sup> Ink ribbon may have uneven coating due to the property of the raw materials. Please note that color unevenness may occur in the printed part when solid filled printing is performed.

 $<sup>* \</sup> Combinations \ of \ media \ materials \ and \ ink \ ribbons \ are \ limited. \ Please \ refer \ to \ the \ user's \ manual.$ 

2. Cutter blac	de				対応機種	
Item	Model No.	Discription	Package	LCX603-01	LCX603-02	LCX603
-	CB09UB-5	0.9 mm diameter. Angle 45°, Supersteel Self-adhesive marking film (vinyl, fluorescent, refractive), thin sheet, up to 0.25 mm thick.	5 blades/pack	•	•	•

3. Cutter blade holder					対応機種	
Item	Model No.	Discription	Package	LCX603-01	LCX603-02	LCX603
	PHP33-CB09N-HS	For CB09U series blade with plastic tip	1 set / pack	•	•	•

: Available

4. Loupe					対応機種	
Item	Model No.	Discription	Package	LCX603-01	LCX603-02	LCX603
	PM-CT-001	Checking blade length, for PHP33 and PHP35 series	1set/pack	•	•	•

: Available

5. Thermal head cleaner				対応機種		
Item	Model No.	Discription	Package	LCX603-01	LCX603-02	LCX603
	THC-1	Cleaning stick x 50 pc, cleaning solution x 1 bottle (250ml)	1 set / box	•	•	•

6. Label media					対応機種	
Item	Model No.	Discription	Package	LCX603-01	LCX603-02	LCX603
Polyester film	FNS MAT N25-1310B-R4	Polyester film, Silver, 25 μm, 130 mm x 100m	4 rolls/box	•	•	•
	FNS MAT N50-1310B-R4	Polyester film, Silver, 50 µm, 130 mm x 100 m	4 rolls/box	•	•	•
	FNS MAT S50-1310B-R4	Polyester film, Silver, 50 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	FR1615-50-1310-R4A	Polyester film, Silver, 50 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	FR1415-50-1310-R4A	Polyester film, White, 50 $\mu$ m, 130 mm x 100 m	4 rolls/box	•	•	•
	PETWH50A-1310-R4A	Polyester film, White, 50 $\mu$ m, 130 mm x 100 m	4 rolls/box	•	•	•
	FR1015-50-1310-R4A	Polyester film, Yellow, 50 $\mu$ m, 130 mm x 100 m	4 rolls/box	•	•	•
	PET25A-1310B-R4	Polyester film, Clear, 25 μm, 130 mm x 100m	4 rolls/box	•	•	•
	FR1225-50-1310-R4A	Polyester film, Clear, 50 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	PET50A-1310B-R4	Polyester film, Clear, 50 μm, 130 mm x 100 m	4 rolls/box	•	•	•
Paper media						
	PM-PR-002	Paper, White, 73 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	FR6311-80-1310-R4A	Synthetic paper, 80 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	FR5311-85-1310-R4A	Synthetic paper, 85 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	GLOSS PW-1310B-R4	Coated paper, White, 89 $\mu$ m, 130 mm x 100 m	4 rolls/box	•	•	•

<sup>\*</sup> Combinations of media materials and ink ribbons are limited. Please refer to the user's manual.

7. Lamination film					対応機種	
Item	Model No.	Discription	Package	LCX603-01	LCX603-02	LCX603
	FR1125-25-1110-R4A	Coated paper, White, 89 $\mu$ m, 130 mm x 100 m	4 rolls/box	•	•	•
	FR1225-16-1110-R4A	Coated paper, White, 89 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	PET16-1110-R4A	Coated paper, White, 89 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	PET25-1110-R4A	Coated paper, White, 89 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	PETS MAT25-1110-R4A	Coated paper, White, 89 μm, 130 mm x 100 m	4 rolls/box	•	•	•
	PP20-1110-R4A	Coated paper, White, 89 μm, 130 mm x 100 m	4 rolls/box	•	•	•

### **Others**

Supported product 1. Scanners

### 1. Scanners

Supported product CSX500

Calibration sh	Supported product			
Item	Model No.	Discription	Package	CSX500
/	IS0932	Calibration sheet for CSX500 series	1pc / pack	•

• : Available

Carrier sheet				Supported product
Item	Model No.	Discription	Package	CSX500
	IS0908	Carrier sheet A1 (596 mm x 860 m)	1pc / pack	•
	IS0922	Carrier sheet A0 (896 mm x 1250 m)	1pc / pack	•

• : Available

Cleaning paper				Supported product
Item	Model No.	Discription	Package	CSX500
	EM-CP	Cleaning paper	1pc / pack	•

- Due to the possibility of equipment or PC failure, the data files on the instrument will not be guaranteed to be held on the memory. Please make a backup of data whenever possible to avoid data loss.
  Brand names and product names listed in this brochure are the trademarks or registered trademarks of their respective owners.
  Items mentioned are subject to change without notice. For more information about product, please check the web site or contact your local representative.
- Items mentioned are subject to change without notice. For more information about product, please check the web site or contact your local representative.

   Important safety instructions

   Before using it, please read the user manual and then please use it properly in accordance with the description.
   To avoid malfunction or electric shock, please ensure ground connection and use it in specified power source.



503-10 Shinano-cho, Totsuka-ku, Yokohama 244-8503, Japan

Tel: +81-45-825-6250 Fax: +81-45-825-6396

CE SUPPLY\_SE10680\_1D